AUTHOR INDEX

Aiba, T. See Iijima, N.	gastric cancer patients, in relation to the	
Aoki, M. See Endo, H.	classified types of gastric carcinoma and	
Aoki, T., and Fukuoka, F. Chemothera-	pathological changes of liver, 309	
peutic tests using pulmonary tumor for-	Hori, S. H. See Matsumoto, T.	
mation by intravenous injections of	Hukui, T. See Kuru, M.	
cancer cells,47	, See Matuda, K.	
Aoki, T. See Matuda, K.	Ichiba, K. See Sato, H.	
Aoyama, Y. See Endo, H.	Iijima, N., Matsuura, K., Fujita, K.,	
Ashikawa, K. Studies on the amine oxidase	Aiba, T., and Ukishima, H. Copper	
in the liver and other tissues of rats fed 4-	metabolism in the liver in gastric cancer,77	
dimethylaminoazobenzene, 367	Ishihara, T. Cytoligical studies of tumors.	
Awa, A., and Kano, K. Cytological studies	XXXI. A chromosome study in a human	
of tumors. XXX. General characteristics	gastric carcinoma, 403	
and cytological features of a transplantable	Ito, E., Matuda, K. Kosaki, G., and	
mouse tumor (EM tumor) of spontaneous	Kuru, M. Effect of oncotrephin, the	
origin, 395	mitosis-promoting substrnce isolated from	
Doi, G. Some chemical changes in the liver	rat ascites hepatoma (AH 130) on prolifera-	
of rats fed p-dimethylaminoazobenzene. II,51	tion of strain L cells, 437	
Endo, H. Aoki, M., and Aoyama, Y.	—, See Kōzaki, G.	
Formation of nuclear inclusion bodies in	Kanō, K. See Awa, A.	
tissur culture cells by 4-nitroquinoline N-	Kozaki, G., Matuda, K., Ito, E., and	
oxide, 209	Kuru, M. Furtner studies on mitosis	
Fukuoka, F., Ono, T., Ohashi, M., and	promoting substance in human malignant	
Nishimura, S. Effect of 4-nitroquinoline	tumors: its effect on strain L cells, 121	
N-oxide on the metabolism of cancer cells	, See Ito, E.	
in vitro,21	, See Kuru, M.	
, See Aoki, T.	, See Matuda, K.	
, See Nakahara, W.	Kuroda, Y. See Mizunoya, T.,67	
, See Ono, T.	Kuru, M., Kozaki, G., Matuda, K., and	
Fujita, K. See Iijima, N.	Hukui, T. On a substance isolated from	
Hanaki, A. See Terayama, H.	certain human malignant tumors promoting	
Hara, Y. Initial stages of glycolysis in testis	mitosis in vitro, 111	
and malignant tissues 375	, See Ito, E.	
Hayashi, Y. Histological and histochemical	—, Səe Közaki, G.	
study of the early lesions of mouse skin	, See Matuda, K.	
after a single application of 4-nitroquino-	Maruyama, Y. Cytological studies of neo-	
line N-oxide, 219	plasm. V. Morphogenesis of V-chromo-	
Hishikawa, S. Liver catalase activity in	some in Yoshida sarcoma cells with special	

reference to its structural aberration, 239	——, See Ono, T.		
Matsumoto, T., and Hori, S.H. Some	Oide, H. Effect of transplanted tumor on		
cytological studies on changes in mouse	the pyridine nucleotide synthesis in the		
liver following the implantation of carci-	mouse liver, 177		
noma 51, 141	Okuda, K. Effect of p-dimethylaminoazo-		
Matsuura, K. See Iijima, N.,77	benzene on the excretion of B-vitamins in		
Matuda, K., Hukui, T., Aoki. T., Kosaki,	the urine of rat, 155		
G., and Kuru, M. Isolation of the mitosis	———, Changes of some flavine enzymes in the liver of rat during DAB carcinogenesis,		
promating substance, oncotrephin, from rat			
ascites hepatoma (AH 130), 429			
, See Ito, E.	Ono, T., and Tomaru, T. The toxic tumor		
, See Kōzaki, G.	factor depressing DPN synthesis in tumor-		
, See Kuru, M.	bearing animals,37		
Minowada, J. Track autoradiographic study	, Sugimura, T., and Ohashi, M.		
on the 14C-2-glycine incorporation into the	Effect of iron administration on the free		
Ehrlich ascites carcinoma cells,	protoporphyrin level in erythrocyte and		
Mizunoya, T., Kuroda, Y., and Yama-	liver of tumor-bearing rats, 185		
mura, Y. Uptake and conservation of	, Tomaru, T., and Fukuoka, F.		
radioactive zinc by Ehrlich carcinoma cells,67	Effect of 4-nitroquinoline N-oxide deriva-		
Mori, K., and Yesuno, A. Preliminary	tives on the DPN dependent enzyme sys-		
note on the induction of pulmonary tumors	tems,		
in mice by isonicotinic acid hydrazide	, See Ohashi, M.		
feeding, 107	Otsuka, M. See Terayama, H.,57		
Murata, Y. Study of splenic enlargement	Sato, N., Ichiba, K., and Takeda, Y. On		
in tumor-bearing mice,89	the duodenal spread of gastric cancer, 409		
Nakahara, W., and Fukuoka, F. Study	Sato, T. Paper electrophoretic studies on		
of carcinogenic mechanism based on experi-	enzymes in liver of rats fed 4-dimethyl-		
ments with 4-nitroquinoline N-oxide, 1	aminoazobenzene. IV. Desaminase of fatty		
, and On the mechanism of	acid amide, 359		
radiation carcinogenesis,17	Sugimura, T. See Ono, T.,		
Nishimura, S. See Fukuoka, F.	Sugiura, K. Effects of compounds on the		
Oboshi, S. Cross-resistance between myto-	Friend mouse virus leukemia, 251		
mycin C and alkylating agents in exper-	Takamiya, K. Studies on anti-tumor acti-		
mental cancer chemotherapy, 147	vities of oximes and metal chelate com-		
Odashima, S. Development of liver cancer	pounds. I. Examinations of oximes, 265		
in the rat by 20-methylcholanthrene paint-	II. Copper-dimethygly-		
ing following initial 4-dimethylaminoazo-	oxime, 277		
benzene feeding, 321	III. Copper chelates, 291		
Ohashi, M., and Ono, T. Purification of	Takeda, Y. See Sato, H.		
toxohormone by DEAE-cellulose column-	Tanaka, T. Cytological studies of tumors,		
chromatography, 347	XXV. A transplantable rat ascites hepa-		
—, See Fukuoka, F.	toma produced by p-dimethylaminoazoben-		

Tanaka, T. Cytological studies of tumors. XXIX. Morphological and cytological changes in the ascites hepatoma II of Buffaro rat after transplantation into F ₁ hybrids, Wistar-King A×Albany,	potency as well as the protein binding of aminoazo dyes and the carcinogenicity of dimethylaminoazoxybenzene N-oxide, 16 Tomaru, T. See Ono, T. See Ono, T. Ukishima, H. See Iijima, N.
on the mechanism of liver carcinogenesis by certain aminoazo dyes. II. The hepatic formaldehyde dehydrogenase and xanthin oxidase activites of rats and mice in rela- tion to the DAB carcinogenesis,	Yamanura, Y. See Mizunoya, T. Yamana, K. Metabolic heterogeneity of ribo-nucleic acid in Ehrlich ascites tumor cell,
mechanism of liver carcinogenesis by cer- tain aminoazo dyes. III. Effect of para- formaldehyde, dimethyl-p-phenylene dia-	development of tumors. II Chromosome conditions and invasiveness of the Yoshida sarcoma cells,

the steam of the party

SUBJECT INDEX

Alkylating agents, cross-resistance with	——, liver carcinogenesis by,57		
mytomycin C, 147	, ascites hepatoma produced by, 127		
Amine oxidase, in DAB fed rat liver, 367	, effect on excretion of B-vitamins, 155		
Amnion tissue culture cell, tumor for-	, changes in flavin enzymes during		
mation by, 227	feeding of, 163		
B-vitamins, effect of DAB on excretion of, 155	, liver cancer development by combined		
Carcinogenic mechanism, with 4-nitro-	action with 20-methylcholanthrene, 321		
quinoline N-oxide, 1	—, on liver desaminase, 359		
, of radiation,17	, on amine oxidase, 367		
Catalase activity, in liver of gastric cancer	Dimethylaminoazoxybenzene N-oxide,		
patients, 309	carcinogenicity of, 169		
Chemotherapeutic test, using pulmonary	Diniethyl-p-phenylane diamine, effect		
tumor formation,47	on carcinogenic potency of aminoazo dyes,		
——, with copper chelates, 291			
, with mytomycin C, 147	Disulfiram, effect on carcinogenic potency		
, with alkylating agents, 147	of aminoazo dyes, 169		
, with various compounds, 251	DPN dependent enzymes, effect of 4-nitro-		
Chromosome, in hepatoma II, 383	quinoline N-oxide on, 189		
, in transplantable mouse tumor, 395	DPN synthesis, depression by tumor factor,37		
, in human gastric carcinoma, 403	Duodenal spread, of gastric cancer, 409		
, altertion of, in Yoshida sarcoma cell,	Flavin enzymes, changes during DBA car-		
	cinogenesis,		
, V-chromosome in Yoshida sarcoma	Formaldehyde dehydrogenase, in DAB		
cell, 239	carcinogenesis,57		
Copper-chelates, anti-tumor activities of, 291	Friend virus leukemia, effect of com-		
Copper metabolism, in liver in gastric	pounds on, 251		
cancer,77	Gastric cancer, duodenal spread of, 409		
Cross-resistance, between mytomycin C	, catalase activity in liver of, 309		
and alkylating agents, 147	Hepatoma, ascites form, produced by DAB,		
¹⁴ C-2-glycine, incorporation of, into the			
Ehrlich carcinoma cells, 417	——, chromosomes in,		
DAB, See p-dimethylaminoazobenzene.	, formation by methylcholanthrene		
DEAE-cellulose columnchromatography,	painting following DAB feeding, 321		
purifications of toxohormone by, 347	Iron, effect on protoporphyrin in tumor-		
Desaminase, in liver of 4-dimethylaminoazo-	bearing animals, 185		
benzene fed rats, 359	Isonicotinic acid hydrazide, pulmonary		
p-Dimethylaminoazobenzene, chemical	tumor induction by, 107		
changes in liver fed with,51	Liver, cytological changes after tumor im-		

plantation, 141	and effect
, catalase in gastric cancer patients of, 309	Pulmonar
Liver cancer. See hepatoma.	ous inject
Metabolism of cancer cells, effect of 4-	, indi
nitroquinoline N-oxide on,21	zide feedi
Metal chelates, anti-tumor activities of, 277	Pyridine 1
20-Methylcholanthrene, liver cancer deve-	the synthe
lopment by painting, following DAB feed-	Radiation,
ing, 321	Ribonuclei
Mitosis-promoting substance. See On-	of,
cotrephin.	Splenic er
Mytomycin C, cross-resistance with alkylat-	animals,
ing agents, 147	Toxohorm
4-Nitroquinoline N-oxide, carcinogenic	*******
mechanism of, 1	, pur
, effect on metabolism of cancer cells,21	matograph
, effect on DPN depending enzyme	Track aut
systems,	incorporat
, formation of nuclear inclusion bodies	*******
by, 209	Tumor be
, early lesions after a single application,	DPN synt
	, sple
Nuclear inclusion bodies, formation by	, prote
4-nitroquinoline N-oxide, 209	on,
Oncotrephin, isolation from human tumors,	Tumor for
	nion tissu
, effect on strain L cells, 121	, see
, isolation from rat ascites hepatoma, 429	Xanthin ox
Oximes, anti-tumor activities, 277	Yoshida sa
Paraformaldehyde, effect on carcinogenic	in,
potency of aminoazo dyes, 169	——, V-ch
Protein binding, of aminoazo dye, 169	Zinc, radio
Protoporphyrin, in tumor-bearing animals,	by cancer

and effect of iron on, 185
Pulmonary tumor, formation by intraven-
ous injection of cancer cells,47
, induction by isonicotinic acid hydra-
zide feeding, 107
Pyridine nucleotide, effect of tumor on
the synthesis of, 177
Radiation, carcinogenic mechanism of,17
Ribonucleic acid, metabolic heterogeneity
of, 201
Splenic enlargement, in tumor bearing
animals,89
Toxohormone, depression of DPN synthesis,
37
, purification by DEAE-columnchro-
matography,
Frack autoradiography, of ¹⁴ C-2-glycine
incorporation into Ehrlich carcinoma cells,
Tumor bearing animals, depression of
DPN synthesis in,37
, splenic enlargement in,89
, protoporphyrin in, and effect of iron
on,
Tumor formation, by implantation of am-
nion tissue culture cell,
, see also pulmonary tumor.
Kanthin oxidase, in DAB carcinogenesis,57
Yoshida sarcoma, chromosome alteration
in,
Zinc, radioactive, uptake and conservation
by cancer cells